

AGENDA
REGULAR MEETING OF THE BOARD OF TRUSTEES OF THE VILLAGE OF MORTON, ILLINOIS
7:00 P.M.
MONDAY, JANUARY 18, 2016
FREEDOM HALL, 349 W. BIRCHWOOD, MORTON, ILLINOIS

- I. CALL TO ORDER**
- II. ROLL CALL**
- III. PLEDGE OF ALLEGIANCE TO THE FLAG**
- IV. PUBLIC HEARING**
- V. PRESENTATIONS AND SPECIAL REPORTS**
- VI. PUBLIC COMMENT**
 - A. Public Comments
 - B. Requests for Removal of Items from the Consent Agenda
- VII. CONSENT AGENDA**
 - A. Approval of Minutes
 - 1. Regular Meeting – January 4, 2016
 - B. Approval of Bills
 - C. Ordinances
 - D. Resolutions
 - E. Other Business
- VIII. CONSIDERATION OF ITEMS REMOVED FROM THE CONSENT AGENDA**
- IX. VILLAGE PRESIDENT**
- X. VILLAGE CLERK**
- XI. VILLAGE ADMINISTRATOR**
- XII. CHIEF OF POLICE**
- XIII. CORPORATION COUNSEL**
- XIV. DIRECTOR OF FIRE AND EMERGENCY SERVICES**
- XV. DIRECTOR OF PUBLIC WORKS**
 - A. Resolution Number 22-15, A Resolution Amending the Waste Collection Agreement with Area Disposal Service, Inc.
 - B. Public Works Recap for the Month of December
- XVI. PLANNING AND ZONING OFFICER**
 - A. 2015 Building Permit Recap (with 5-Year Comparison)
 - B. Zoning Map Revisions for 2015
- XVII. VILLAGE TRUSTEES**
 - A. Trustee Belsley
 - B. Trustee Blunier

- C. Trustee Daab
- D. Trustee Heer
- E. Trustee Hermann
- F. Trustee Kaufman
 - 1. Approval of 2-Year Contract with R&R Services of Illinois, Inc. for the Landscape Waste Program in the Amount of \$80,315.44 (Waiving Formal Bidding for the Entire 2-Year Duration of the Contract)

XVIII. CLOSED SESSIONS

XIX. CONSIDERATION OF MATTERS ARISING FROM CLOSED SESSIONS

XX. ADJOURNMENT

**VILLAGE BOARD OF TRUSTEES
REGULAR MEETING
January 4, 2016**

After calling the meeting to order, President Rainson led the Pledge of Allegiance. The Clerk called the roll, with the following members present: Rainson, Belsley, Blunier, Daab, Heer, Hermann, Kaufman – 7.

CONSENT AGENDA

- A. Approval of Minutes
 - 1. Regular Meeting – December 21, 2015
- B. Approval of Bills
- C. Ordinances
- D. Resolutions
- E. Other Business

Trustee Kaufman moved to approve the Consent Agenda. Motion was seconded by Trustee Heer, with the following roll call vote:

Yes: Belsley, Blunier, Daab, Heer, Hermann, Kaufman – 6.
No: None
Absent: None

VILLAGE PRESIDENT

President Rainson reported that he had received a letter of appreciation from Dr. Hall, the Superintendent of Morton District 709. She was eager to provide positive feedback relative to projects which have recently been jointly undertaken between CUSD 709 and the Village of Morton. The first project mentioned was the sidewalk installation during the summer of 2015 which provides safer routes to school for the students. The two entities also partnered for recent Kay Street improvements (the parking area for the tennis courts and new sidewalk), as well as the improvement of the Jackson Street exit from the main MHS parking lot. Since the school district does not have an extensive engineering staff, she especially appreciates the willingness of DPW Craig Loudermilk in helping to make these things happen.

CHIEF OF POLICE

Chief Hilliard distributed the end-of-year vehicle mileage report. He then presented the auxiliary police payroll/overtime expenses for special community events during 2015, requesting a transfer of funds from the Tourism Fund to the General Fund. Trustee Hermann moved to transfer \$14,401.46 to the General Fund. Motion was seconded by Trustee Heer, with the following roll call vote:

Yes: Belsley, Blunier, Daab, Heer, Hermann, Kaufman – 6.
No: None
Absent: None

He then recommended purchasing three Ford Interceptors (SUV's) under the State of Illinois bid from Morrow Brothers Ford in Greenfield, IL, explaining that there appears to have been a decline in the dependability of the Chevrolet Impalas in the last few years. Trustee Daab moved to approve the request. Motion was seconded by Trustee Hermann, with the following roll call vote:

Yes: Belsley, Blunier, Daab, Heer, Hermann, Kaufman – 6.

No: None

Absent: None

DIRECTOR OF PUBLIC WORKS

DPW Loudermilk requested awarding the annual fuel contract to Ag-Land FS, Inc. Trustee Kaufman moved to approve the request. Motion was seconded by Trustee Daab, with the following roll call vote:

Yes: Belsley, Blunier, Daab, Heer, Hermann, Kaufman – 6.

No: None

Absent: None

He reported that the public works recap for the month of November had been included in this week's packet.

VILLAGE TRUSTEES

BELSLEY

Trustee Belsley announced that the Southern Tazewell County Enterprise Zone, which includes the Village of Morton, the Village of Tremont, the City of Pekin, and Tazewell County, has been approved. He commended Z-O Spangler for his part in moving the application process for this project along.

BLUNIER

Trustee Blunier observed that there are a lot of positives happening as the Village begins 2016, and it appears that we are off to a good start.

DAAB – Nothing to report.

HEER – Nothing to report.

HERMANN – Nothing to report.

KAUFMAN – Nothing to report.

With no further business to come before the Board, Trustee Kaufman moved to adjourn. Motion was seconded by Trustee Heer, and followed by a unanimous voice vote.

ATTEST:

PRESIDENT:

VILLAGE CLERK

RESOLUTION NO. 22-15

**RESOLUTION AUTHORIZING AMENDMENT TO
WASTE COLLECTION AGREEMENT**

WHEREAS, the Village and Area Disposal Service, Inc. have previously entered into a Waste Collection Agreement; and

WHEREAS, it is necessary to amend same to make a provision for emergencies.

NOW, THEREFORE, BE IT RESOLVED BY THE PRESIDENT AND BOARD OF TRUSTEES OF THE VILLAGE OF MORTON, Tazewell County, Illinois, as follows:

That the Second Amendment to Waste Collection Agreement in the form as attached to this Resolution is approved and the President is authorized to execute same on behalf of the Village of Morton.

BE IT FURTHER RESOLVED that this resolution shall be in full force and effect upon its passage and approval.

PASSED AND APPROVED at a regular meeting of the President and Board of Trustees of the Village of Morton, Tazewell County, Illinois, this _____ day of _____, 2016; and upon roll call the vote was as follows:

AYES:

NAYS:

ABSENT:

ABSTAINING:

APPROVED this _____ day of _____, 2016.

President

ATTEST:

Village Clerk

SECOND AMENDMENT TO WASTE COLLECTION AGREEMENT

This Second Amendment To Waste Collection Agreement (the "Agreement") is made and effective as of _____, 2016, between the Village of Morton, an Illinois municipal corporation ("Village") and Area Disposal Service, Inc., an Illinois corporation ("Contractor").

WHEREAS, Village and Contractor are parties to that certain Waste Collection Agreement dated September 17, 2012, as amended by First Amendment to Waste Collection Agreement effective February 16, 2015 (the "Collection Agreement");

WHEREAS, Village and Contractor wish to amend the Collection Agreement to effectuate certain changes and revisions thereof;

THEREFORE, Village and Contractor agree as follows:

1. A new Article 15 is added to the Collection Agreement as follows:

ARTICLE 15: EMERGENCIES

The Contractor agrees that, should any emergency arise by reason of storm, tornadoes, or natural disaster, which require additional hauling equipment by the Village, Contractor's equipment shall be placed at the disposal of the Village upon request for such temporary use, providing that during such use, the Village shall pay the operating cost of such equipment and labor as is used. In such an emergency the Contractor shall perform as directed by the Mayor or the Mayor's designee.

2. All other provisions of the Collection Agreement shall remain in full force and effect.

IN WITNESS WHEREOF, the parties hereto have caused this Agreement to be executed by their respective duly authorized officers on the date first written above.

VILLAGE OF MORTON

AREA DISPOSAL SERVICE, INC.

By: _____

By: _____

Name: _____

Name: _____

Title: _____

Title: _____

Listing of Customer Odor/Leak Complaint

Year of 2015

Morton Municipal Gas -- Morton, Illinois

(◆... denotes...After Normal Working Hours) [Response Time in Minutes]

<u>No.</u>	<u>Date</u>	<u>Address / Location</u>	<u>Leak Found</u>	<u>In Out</u>	<u>Remark</u>	<u>Leak Condition</u>	<u>Sniff Test</u>	<u>By</u>
239	12/01/15 [8 min]	225 E. Jackson	Yes	Out	By-Pass coupling [Repaired by Gas Dept.12/01/15]	Class 3	3	SS
240	12/01/15 [6 min]	1080 W. Jefferson	Yes	Out	1" Relief leaking by [Repaired by Gas Dept.12/01/15]	Class 3	4	MC
241	12/01/15 [7 min]	1086 E. Emerson	No	In	No Leak Found	OK – No Leak	--	MC
242	12/02/15 [4 min]	212 Clifton	Yes	In	90 by Furnace/ Furnace Pilot Tube Customer Notice of Hazard	Not Potentially Hazardous	4	BD
243	◆ 12/02/15 [19 min]	225 E. Jackson	Yes	Out	2" S202 Vent Leaking [Repaired by Gas Dept.12/03/15]	Class 3	4	MC
244	12/03/15 [13 min]	126 S. Main	Yes	Out	11/4" Mueller Winglock Top [Repaired by Gas Dept.12/04/15]	Class 3	4	MC
245	◆ 12/03/15 [9 min]	330 S. Main	No	In	No Leak Found	OK – No Leak	--	MC
246	◆ 12/03/15 [18 min]	424 E. Fernwood	Yes	In	90 by Bathroom in Basement Customer Notice of Hazard	Not Potentially Hazardous	3	MC
247	12/04/15 [6 min]	624 S. 4 th Laundry Room	Yes	In	Dry threads Customer Notice of Hazard	Not Potentially Hazardous	4	MC
248	12/07/15 [10 min]	2125 Veterans Rd Timber Ridge	Yes	In	Rooftop Piping Customer Notice of Hazard	Not Potentially Hazardous	4	BD
249	12/07/15 [5 min]	363 N. Nebraska	Yes	In Out	Furnace gas out vent/copper line Customer Notice of Hazard	Not Potentially Hazardous	4	BD
250	12/08/15 [6 min]	1724 S. Second	Yes	Out	Mueller Winglock Top [Repaired by Gas Dept.12/09/15]	Class 3	3	MC
251	◆ 12/08/15 [12 min]	821 W. Jackson J&J Cleaners	Yes	In	Pilot tubing on boilers Customer Notice of Hazard	Not Potentially Hazardous	4	ES
252	12/09/15 [8 min]	312 E. Tyler	No	Out	No Leak Found	OK – No Leak	--	MC
253	12/10/15 [3 min]	226 E. Crestwood	Yes	In	Furnace Burner Misfiring Customer Notice of Hazard	Not Potentially Hazardous	4	MC
254	12/11/15 [10 min]	700 S. 1 st	Yes	Out	Elbow into regulator [Repaired by Gas Dept.12/11/15]	Class 3	4	ES
255	12/11/15 [8 min]	204 Tamarack	Yes	Out	Tapping Tee Cap [Repaired by Gas Dept.12/16/15]	Class 3	4	BD
256	◆ 12/11/15 [6 min]	226 E. Crestwood	No	Out	No Leak Found	OK – No Leak	--	BD
257	◆ 12/11/15 [on-site]	243 E. Delwood	Yes	Out In	Backyard Light/copper to stove Customer Notice of Hazard	Potentially Hazardous	5	BD
258	◆ 12/12/15 [6 min]	515 N. Oregon	No	In	No Leak Found	OK – No Leak	--	BD
259	◆ 12/12/15 [on site]	N. Oregon / E. Tyler SW corner	Yes	Out	4"PE Valve [Repaired by Gas Dept.1/06/16]	Class 3	5	BD
260	◆ 12/13/15 [5 min]	959 E. Monroe	Yes	In	Mueller Winglock [Repaired by Gas Dept.12/14/15]	Class 3	5	BD
261	12/13/15 [8 min]	19 Sheila Ct.	No	Out	No Leak Found	OK – No Leak	--	MC

Listing of Customer Odor/Leak Complaint

Year of 2015

Morton Municipal Gas -- Morton, Illinois

(◆... denotes...After Normal Working Hours) *[Response Time in Minutes]*

Summary of Gas Odor Calls -- Year of 2015

() .. Calls After Normal Working Hours

	<i>Number of Calls</i>	<i>Positive Leaks Found</i>
January	22 (13)	13
February	23 (12)	15
March	17 (5)	12
April	23 (6)	20
May	20 (7)	16
June	29 (5)	8
July	16 (5)	15
August	9 (1)	8
September	11 (5)	5
October	32 (9)	27
November	36 (5)	26
December	35 (15)	24
<i>Totals for 2015</i>	<i>273 (88)</i>	<i>189</i>
<i>Totals for 2014</i>	<i>234 (77)</i>	<i>172</i>
<i>Totals for 2013</i>	<i>223 (71)</i>	<i>162</i>
<i>Totals for 2012</i>	<i>247 (71)</i>	<i>202</i>
<i>Totals for 2011</i>	<i>241 (71)</i>	<i>175</i>
<i>Totals for 2010</i>	<i>216 (78)</i>	<i>155</i>
<i>Totals for 2009</i>	<i>257 (84)</i>	<i>184</i>
<i>Totals for 2008</i>	<i>254 (73)</i>	<i>184</i>
<i>Totals for 2007</i>	<i>251 (63)</i>	<i>185</i>
<i>Totals for 2006</i>	<i>257</i>	<i>184</i>
<i>Totals for 2005</i>	<i>276</i>	<i>204</i>
<i>Totals for 2004</i>	<i>292</i>	<i>214</i>
<i>Totals for 2003</i>	<i>301</i>	<i>207</i>
<i>Totals for 2002</i>	<i>241</i>	<i>176</i>
<i>Totals for 2001</i>	<i>260</i>	<i>191</i>
<i>Totals for 2000</i>	<i>254</i>	<i>190</i>
<i>Totals for 1998</i>	<i>313</i>	<i>233</i>
<i>Totals for 1997</i>	<i>307</i>	<i>229</i>
<i>Totals for 1996</i>	<i>283</i>	<i>218</i>
<i>Totals for 1995</i>	<i>236</i>	<i>169</i>

Listing of Customer Odor/Leak Complaint

Year of 2015

Morton Municipal Gas -- Morton, Illinois

(◆... denotes...After Normal Working Hours) [Response Time in Minutes]

<u>No.</u>	<u>Date</u>	<u>Address / Location</u>	<u>Leak Found</u>	<u>In Out</u>	<u>Remark</u>	<u>Leak Condition</u>	<u>Sniff Test</u>	<u>By</u>
262	◆ 12/14/15 [10 min]	1734 Maple Grove	No	Out	No Leak Found	OK – No Leak	--	TH
263	◆ 12/14/15 [on-site]	1810 S. Main	Yes	Out	Mueller Winglock / Meter Spud Air Unit Exhaust <i>Customer Notice of Hazard</i> [Repaired by Gas Dept. 12/15/15]	Not Potentially Hazardous Class 3	5	TH
264	12/15/15 [7 min]	E. Idlewood @ S. Lee	No	Out	No Leak Found	OK – No Leak	--	BD
265	12/15/15 [8 min]	328 N. 3 rd	Yes	Out	Hit ½" PE Service [Repaired by Gas Dept. 12/15/15]	Class 1	5	BD
266	12/16/15 [4 min]	200 E. Fernwood	Yes	In	Appl. Valve <i>Customer Notice of Hazard</i>	Not Potentially Hazardous	3	MC
267	◆ 12/19/15 [14 min]	224 N. Illinois	Yes	In	T Fitting in Basement <i>Customer Notice of Hazard</i>	Not Potentially Hazardous	-	TW
268	12/23/15 [9 min]	59 Blackberry	Yes	In	WH behind control valve <i>Customer Notice of Hazard</i>	Not Potentially Hazardous	4	MC
269	◆ 12/25/15 [17 min]	312 E. Tyler	Yes	In	Furnace Appl. Valve <i>Customer Notice of Hazard</i>	Not Potentially Hazardous	4	AG
270	◆ 12/27/15 [6 min]	148 N. Montana	Yes	In	WH control valve <i>Customer Notice of Hazard</i>	Not Potentially Hazardous	4	AG
271	12/28/15 [5 min]	1080 W. Jefferson	No	In	No Leak Found	OK – No Leak	--	TW
272	12/29/15 [8 min]	821 W. Jackson	No	In	No Leak Found	OK – No Leak	--	JC
273	◆ 12/30/15 [20 min]	2141 S. Main	No	In	No Leak Found	OK – No Leak	--	KM

Gas Odors -- December -- 2015

35 - Calls 24 - Positive

CO Calls - Year of 2015

Morton Municipal Gas -- Morton, Illinois

(◆ ... denotes...After Normal Working Hours) [Response Time in Minutes]

CO Calls ... December -- 2015

3- CO Calls 1 - Positive CO Problem ... excess of 10 ppm

<u>Date</u>	<u>Address</u>	<u>Call Priority</u>		<u>Fire / Paramedics Called</u>	<u>Reason for Complaint</u>	<u>Investigation Results</u>	<u>Action Taken</u>	<u>By</u>
		<u>1</u>	<u>2</u>					
◆ 12/24/15 [14 min]	413 N. Illinois		✓	No	CO Alarm	0 ppm – all locations	CO Level Safe	AG
◆ 12/29/15 [11 min]	283 Hires Trace		✓	No	CO Alarm	12 ppm – all locations	Vented CO Level Safe	TW
◆ 12/30/15 [20 min]	325 N. Illinois		✓	No	CO Alarm	0 ppm – all locations	CO Level Safe <i>Customer Notice of Hazard</i>	JC

CO Calls - Year of 2015

Morton Municipal Gas -- Morton, Illinois

(◆ ... denotes...After Normal Working Hours) *[Response Time in Minutes]*

<u>Month</u>	<u>Number of Calls</u>	<u>Positive CO*</u>
<i>January</i>	8(4)	1
<i>February</i>	10(7)	6
<i>March</i>	4(1)	1
<i>April</i>	0(0)	0
<i>May</i>	3(1)	0
<i>June</i>	2(2)	1
<i>July</i>	2(1)	1
<i>August</i>	1(0)	0
<i>September</i>	4(2)	2
<i>October</i>	1(0)	0
<i>November</i>	3(1)	1
<i>December</i>	3(3)	1
Year of 2015	41 (22)	14
<i>Year of 2014</i>	80(46)	11
<i>Year of 2013</i>	46(31)	5
<i>Year of 2012</i>	36(16)	1
<i>Year of 2011</i>	47	7
<i>Year of 2010</i>	37	9
<i>Year of 2009</i>	48	8
<i>Year of 2008</i>	34	8
<i>Year of 2007</i>	34	8
<i>Year of 2006</i>	21	4
<i>Year of 2005</i>	30	8
<i>Year of 2004</i>	21	8
<i>Year of 2003</i>	24	6
<i>Year of 2002</i>	42	12
<i>Year of 2001</i>	26	3
<i>Year of 2000</i>	29	7
<i>Year of 1999 (started June)</i>	14	5

Water Leak Repairs - Year of 2015
Morton Water Distribution

Date Of Repair	Address or Location	How Leak Was Detected	Village Responsibility		Customer Service Date Letter Sent	Remark [Problem in brackets]
			Main	Service		
12/8/15	1732 S. Second	surfaced		✓		
12/17/15	216 E. Edgewood	Water in basement			12/15/15	
12/16/15	340 S. Missouri			✓		Curb Stop not functioning [brass key broken]
12/19/15	1200 Parkside	surfaced	✓			Installed F.C.C. [beam break]
12/23/15	101 Cedar	surfaced	✓			Installed F.C.C. [beam break]

Water Leak Repairs - Year of 2015
Morton Water Distribution

<i>Month</i>	<i>Village Responsibility</i>		<i>Customer Service</i>
	<i>Main (Beam Break)</i>	<i>Service</i>	
January	0	0	1
February	5 (5)	0	1
March	4 (3)	0	1
April	0	0	2
May	1	1	1
June	1 (1)	1	1
July	0	3	3
August	0	1	3
September	1 (1)	1	0
October	0	0	2
November	2 (2)	2	1
December	2 (2)	2	1
Totals for 2015	16 (14)	11	17
Totals for 2014	12 (7)	14	13
Totals for 2013	17 (13)	19	17
Totals for 2012	21 (20)	22	19
Totals for 2011	13 (11)	12	12
Totals for 2010	11 (11)	15	11
Totals for 2009	15 (15)	10	9
Totals for 2008	15 (11)	22	15
Totals for 2007	13 (11)	17	18
Totals for 2006	13 (12)	22	29
Totals for 2005	11 (9)	34	29
Totals for 2004	7 (4)	17	21

CUSTOMER WATER CONCERNS
December 2015

<u>DATE</u>	<u>NAME</u>	<u>ADDRESS</u>	<u>CONCERN</u>	<u>ACTION TAKEN</u>
12/4/2015	Gail Rein	427 S. Nebraska	Water has started tasting stale and old.	Trent spoke with her at her home. Took a sample, ran tests. Test results were good. Problem possibly from the recent flush.
12/7/2015	Amy Tisdale	26 Columbine	Water has a musty smell and taste.	Steve got a sample from her home. Tests showed low Cl2. Talked with her. OK
12/11/2015	Ann Neavor	391 E. Idlewood	Cl2 smell. Black particles in water.	Trent got a sample from her home. Spoke to her about the Cl2 situation. Ran tests. Tests were good. E-mailed her a copy of the test results. OK
12/18/15	Betty Dial	109 S. Missouri	Green rings in toilets.	Bob and Trent spoke to her. Sample taken.
12/22/2015	Brad Kennel	424 N. Rhode Island	Blue-green water in bathtub and sink.	Trent got a sample. Good results besides Cl2 was low. Probably a softener issue within the house.

Village of Morton - Wastewater Dept.

Monthly Callout Report

<i>Date</i>	<i>Address</i>	<i>Responsibility</i>	<i>Action taken</i>
12/1/2015	516 N Main	Owner	None,no problem in city lines
	<i>Problem</i> _____	Backup	
	<i>Memo</i> _____	Owner called about recent back ups, and curious where his sewer went.	
	<i>Follow up memo</i> _____		
12/24/2015	508 S Nelson Ave.	Owner	None,no problem in city lines
	<i>Problem</i> _____	Backup	
	<i>Memo</i> _____	Advised to contact a sewer cleaning company.	
	<i>Follow up memo</i> _____		
12/28/2015	206 N Third	Owner	None,no problem in city lines
	<i>Problem</i> _____	Backup	
	<i>Memo</i> _____	Concerned about water in basement getting higher than the furnace. Advised furnace was above floor drain, and inspected floor drains (operating normally).	
	<i>Follow up memo</i> _____		
12/28/2015	220 E Tyler	Owner	None,no problem in city lines
	<i>Problem</i> _____	Backup	
	<i>Memo</i> _____	City lines fine, advised to contact a sewer cleaning company.	
	<i>Follow up memo</i> _____		
12/28/2015	116 N First	Owner	None,no problem in city lines
	<i>Problem</i> _____	Backup	
	<i>Memo</i> _____	City lines fine, advised to contact a sewer cleaning company.	
	<i>Follow up memo</i> _____		
12/28/2015	320 E Monroe	Owner	None,no problem in city lines
	<i>Problem</i> _____	Backup	
	<i>Memo</i> _____	City lines fine, advised to contact a sewer cleaning company.	
	<i>Follow up memo</i> _____		
12/28/2015	436 N Bauman	Owner	None,no problem in city lines
	<i>Problem</i> _____	Backup	
	<i>Memo</i> _____	City lines fine, advised to contact sewer cleaning company.	
	<i>Follow up memo</i> _____		

2015 ANNUAL RECAP (5-YEAR COMPARISON)

VILLAGE OF MORTON BUILDING PERMITS

	2015		2014		2013		2012		2011	
	#	Evaluation								
1-Family	34	\$ 10,094,000	40	\$ 11,137,000	47	\$ 12,715,000	71	\$ 17,728,000	41	\$ 11,736,000
2-Family	8	2,896,000	2	724,000	3	1,073,000	1	387,000	2	900,000
Multi-Family	-	-	-	-	-	-	-	-	-	-
Home Addn	15	573,000	9	525,000	17	272,087	10	568,000	16	770,800
Coml	5	11,261,000	4	17,820,000	5	8,806,000	4	1,887,841	2	3,462,000
Coml Addn	3	320,000	1	50,000	3	3,181,000	5	2,885,104	2	1,473,251
Ind	2	290,000	1	225,000	1	4,200,000	1	4,790,000	-	-
Ind Addn	1	143,000	-	-	3	1,199,000	1	3,044,000	6	4,499,000
Miscellaneous	178	1,633,665	158	2,367,616	160	2,327,049	168	1,636,728	165	1,157,066
TOTALS	246	\$ 27,210,665	215	\$ 32,848,616	239	\$ 33,773,136	261	\$ 32,926,673	234	\$ 23,998,117

2015 ZONING MAP REVISIONS

I. REZONING

Glenda Kruse, Sherry Bliss, and Casey's General Store	101 Detroit Ave.	I-2 to B-3
Glenda Kruse and Sherry Bliss	Lot 2 of Casey's Subdivision	I-2 to B-3

II. SPECIAL USE PERMITS

Bethel Evangelical Lutheran Church	325 E. Queenwood	Church
Phyve, LLC	935 E. Jefferson	Retirement Center
Dale and Susan Colby	111 E. Jefferson	Supported Living Facility
Ted Clark	915 W. Jackson	Car Wash
LAB Properties, LLC	132-134 W. Adams	Mixed Use
LAB Properties, LLC	120 W. Jefferson	Mixed Use

III. PLAT APPROVALS

Mathis Subdivision	NW 1/4 of Sec. 4, T25N, R3W
Casey's Subdivision	W 1/2 of Sec. 17, T25N, R3W
Bjork Subdivision	SE 1/4 of Sec. 29, T25N, R3W
Wolf Crossing Phase IV	NE 1/4 of Sec. 5, T25N, R3W
Fieldstone Subdivision Section 3	NW 1/4 of Sec. 22, T25N, R3W

IV. ANNEXATIONS

Wolf Crossing Phase IV	NE 1/4 of Sec. 5, T25N, R3W (12.537 Ac.+/-)	R-1
------------------------	---	-----

R&R Services of Illinois, Inc.
P.O. Box 319
Argenta, IL 62501
Ph. 217.424.2602

Village of Morton
Mr. Craig Loudermilk
120 N. Main St.
Morton, IL 61550-0028

January 3, 2016

Dear Craig,

Thank you for the opportunity to work with your community last season. Please note that we have included the option to lock in pricing for both the 2016 and 2017 seasons. We are pleased to submit the following quote for your consideration.

2016/2017 Landscape Waste Project @ Sewage Treatment Plant

R&R Services Responsibility: Grind Wood Waste Onsite Into Mulch
Haul Mulch Offsite Via Trucks
All Fuel, Maintenance, and Repairs
(R&R Services Owned or Leased Equipment)
All Equipment Mobilization Costs
Provide Current Certificate of Insurance

Customer Responsibility: Provide (1) Wheel Loader During Project
All Fuel, Maintenance, and Repairs
(Customer Owned or Leased Equipment)
Provide (1) Operator During Project
Payment Due Net 30 Days

Project Notes:

1. R&R Services Will Mobilize Equipment and Labor a Maximum of (1) Time @ Customer's Request for Spring Project Duration.
2. R&R Services Will Mobilize Equipment and Labor a Maximum of (2) Times @ Customer's Request for Fall Project Duration.
3. 1st Fall Request Allows for a Maximum of (5) Working Days.
4. Customer Must Maintain 300' Safety Zone During Grinding.
5. Customer Must Maintain Adequate Truck Access Onsite.
6. No Street Sweeping Shall Be Allowed at Any Time.

	<u>2016</u>	<u>2017</u>
Spring Project Pricing	\$10,899.95	\$10,899.95
Fall Project Pricing	<u>\$29,257.77</u>	<u>\$29,257.77</u>
Contract Price Per Year	\$40,157.72	\$40,157.72

If you should have any questions in regards to this quote, please do not hesitate to contact us @ 217.424.2602 (office).

Sincerely,

Jeff Rose
R&R Services of Illinois, Inc.
President

Customer Acceptance:

R&R Services Acceptance:

Signature/Title

Signature/Title

Printed Name

Printed Name

Date

Date

Please Email Proposal and Signed Acceptance to:
jeff.rose@illinoismulch.com